



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/831,600

05/11/2001

Jouni Kivela

0365-0501P

5717

2292 7590 06/03/2008
BIRCH STEWART KOLASCH & BIRCH
PO BOX 747
FALLS CHURCH, VA 22040-0747

EXAMINER

CHEUNG, WILLIAM K

ART UNIT

PAPER NUMBER

1796

NOTIFICATION DATE

DELIVERY MODE

06/03/2008

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

mailroom@bskb.com

Office Action Summary	Application No. 09/831,600	Applicant(s) KIVELA ET AL.	
	Examiner WILLIAM K. CHEUNG	Art Unit 1796	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 February 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3,4,7-25,29 and 31-33 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3,4,7-25,29 and 31-33 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. In view of amendment filed February 28, 2008, claims 2, 5, 6, 26-28, 30 have been cancelled, and new claim 33 has been added. Claims 1, 3, 4, 7-25, 29, 31-33 are pending. Applicants' amendment is supported by the specification (page 9, line 4-15).

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 1, 13, 14, 29 are rejected under 35 U.S.C. 102(b) as being anticipated by Bernier et al. (US 5,834,571), for the reasons adequately set forth from paragraph 6 of the office action of November 30, 2007.

1. (Currently Amended) A method of producing a polymer in a continuously operated gas phase reactor, comprising:

- polymerizing at least one monomer in a bed containing active catalyst formed by catalyst and polymer particles suspended in a fluid, said bed defining a fluidized bed level in said reactor,
- continuously withdrawing polymer powder from the reactor;
- adjusting a discharge rate of the polymer powder so as to maintain a constant bed level during polymerization; and
- separately recovering particle agglomerates from the reactor by discontinuously withdrawing the particle agglomerates,

wherein the discharge rate of the polymer powder is adjusted by using a continuously operated control valve, and the operation of the control valve is adjusted by using a control signal obtained from a bed level controller, and

wherein the control valve is adjusted to provide for pulsating operation to prevent clogging of the valve.

13. (Previously Presented) A method of producing a polymer in a continuously operated gas phase reactor, comprising:

- polymerizing, at least one monomer in a bed containing active catalyst formed by catalyst and polymer particles suspended in a fluid, said bed defining a fluidized bed level in said reactor,
- continuously withdrawing polymer powder from the reactor;
- adjusting a discharge rate of the polymer powder so as to maintain a constant bed level during polymerization; and
- withdrawing particle agglomerates from the reactor through a discharge line with a discontinuously operated discharge valve;

wherein the discharge rate of the polymer powder is adjusted by using a continuously operated control valve, and the operation of the control valve is adjusted by using a control signal obtained from a bed level controller.

14. (Previously Presented) A method of discharging polymer from a continuously operated gas phase reactor, wherein at least one monomer is polymerized in a bed containing active catalyst formed by catalyst and polymer particles suspended in a fluid, said bed defining a fluidized bed level in said reactor, comprising:

- continuously withdrawing polymer powder from the reactor;
- feeding the withdrawn polymer powder into a collecting vessel, wherein lumps are separated from finely-divided polymer powder and at least a part of the gas is separated from the solid material;
- recovering the lumps; and
- adjusting a discharge rate of the polymer powder so as to maintain a constant bed level during polymerization, wherein the discharge rate of the polymer powder is adjusted by using a continuously operated control valve, and the operation of the control valve is adjusted by using a control signal obtained from a bed level controller.

29. (Previously Presented) A method of producing a polymer in a continuously operated gas phase reactor, comprising:

- polymerizing at least one monomer in a bed containing active catalyst formed by catalyst and polymer particles suspended in a fluid, said bed defining a fluidized bed level in said reactor,
- continuously withdrawing polymer powder from the reactor;
- adjusting a discharge rate of the polymer powder so as to maintain a constant bed level during polymerization; and
- withdrawing particle agglomerates from the reactor;

wherein the discharge rate of the polymer powder is adjusted by using a continuously operated control valve, said operation of the control valve is adjusted by using a control signal obtained from a bed level controller.

Bernier et al. (col. 39, claim 1) claim a method of producing a polymer in a continuously operated gas phase reactor, polymerizing at least one monomer in a bed containing active catalyst formed by catalyst and polymer particles suspended in a fluid (col. 39, line 25-33), and adjusting a discharge rate (continuously or intermittently) to withdraw polymer product from the reactor (col. 39, 40-42). Since the withdrawal of the polymer product also accompanied with the withdrawal of the fluidized recycle gas, the examiner has a reasonable basis that the claimed “adjusting a discharge rate of the polymer powder so as to maintain a constant bed level during polymerization” is met by Bernier et al. since Bernier et al. (col. 39, line 45-49) clearly indicate that the fluidized bed level is maintained by withdrawing recycle gas from the reactor.

Because the polymer product discharge rate of Bernier et al. can be conducted intermittently from the reactor, and that the agglomerate particles contents withdrawn from the fluidized bed reactor are time dependent, therefore, the examiner has a reasonable basis that the claimed "separately recovering particle agglomerates from the reactor" is inherently possessed in Bernier et al.

Regarding the claimed "control valve is adjusted to provide for pulsating operation to prevent clogging of the valve", Bernier et al. (col. 39, 40-42) clearly indicate adjusting a discharge rate (continuously or intermittently) to withdraw polymer product from the reactor. Since the withdrawal process of Bernier et al. can be adjusted to run continuously and intermittently, the examiner has a reasonable basis that the process of Bernier et al. are controlled with control valves. Regarding "pulsating", when the process of Bernier et al. is run intermittently, the process of Bernier et al. would inherently possessed the claimed "pulsating" feature by the intermittent changes of the withdrawal rate or flow rate. According to applicants' specification (page 3, line 13-14), applicants admittedly agrees that when a process is run discontinuously, it would lead to "a pulsating operation".

Claim Rejections – 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
 2. Ascertaining the differences between the prior art and the claims at issue.
 3. Resolving the level of ordinary skill in the pertinent art.
 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
5. Claims 1, 3, 4, 7-25, 29, 31-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bernier et al. (US 5,834,571) for the reasons adequately set forth from paragraph 8 of non-final office action of November 30, 2007.

Bernier et al. (col. 39, claim 1) claim a method of producing a polymer in a continuously operated gas phase reactor, polymerizing at least one monomer in a bed containing active catalyst formed by catalyst and polymer particles suspended in a fluid (col. 39, line 25-33), and adjusting a discharge rate (continuously or intermittently) to withdraw polymer product from the reactor (col. 39, 40-42). Since the withdrawal of the polymer product also accompanied with the withdrawal of the fluidized recycle gas, the examiner has a reasonable basis that the claimed "adjusting a discharge rate of the polymer powder so as to maintain a constant bed level during polymerization" is met by Bernier et al. since Bernier et al. (col. 39, line 45-49) clearly indicate that the fluidized bed level is maintained by withdrawing recycle gas from the reactor.

Because the polymer product discharge rate of Bernier et al. can be conducted intermittently from the reactor, and that the agglomerate particles contents withdrawn

from the fluidized bed reactor are time dependent, therefore, the examiner has a reasonable basis that the claimed "separately recovering particle agglomerates from the reactor" is inherently possessed in Bernier et al.

Although Bernier et al. do not explicitly indicate that the control valve can be adjusted to provide pulsation to prevent clogging of the valve", Bernier et al. (col. 39, 40-42) clearly indicate adjusting a discharge rate (continuously or intermittently) to withdraw polymer product from the reactor, which can cause pulsation. Since the withdrawal process of Bernier et al. can be adjusted to run continuously and intermittently, motivated by the expectation of success of developing the gas phase polymerization process of Bernier et al. (col. 1, line 14-28), it would have been obvious to one of ordinary skill in art to run the gas phase polymerization which associates a discharging the polymer product continuously or intermittently to obtain the pulsating feature as claimed.

Response to Arguments

6. Applicant's arguments filed February 28, 2008 have been fully considered but they are not persuasive. Applicants argue that although the process of Bernier et al. has been indicated to be run continuously and intermittently, the withdrawal process of Bernier et al. only disclose withdrawing the polymer products intermittently. However, applicants must recognize that the argued "continuously" is still explicitly taught in Bernier et al.

Regarding applicant's comments, in the declaration attached to the argument filed February 28, 2008, that the comparative example in applicants' specification (page 11) indicate that the process of Bernier et al. would suffer clogging problem, applicants must recognize that the comparative example as argued does not represent the working conditions as indicated in Bernier et al., where Bernier et al. can run the polymerization process in both continuous and non-continuous mode. Further, applicants do not have any basis that the clogging problems occurred in the comparative example would occur in the process of Bernier et al.

Therefore, in view of the reasons set forth above, the examiner has a reasonable basis to maintain the rejections set forth.

7. Claim 33 is rejected under 35 U.S.C. 103(a) as being unpatentable over Bernier et al. (US 5,834,571) in view of Koves (US 4,959,198).

Set forth from paragraph 5 of instant office action, claim 33 is very similar to the method as taught in Bernier et al.

The difference between the invention of claim 33 and Bernier et al. is that Bernier et al. do not disclose a grid flush mounted to the reactor wall to prevent lumps from entering the pipe.

However, Koves (col. 2, line 16) clearly disclose the use of retention screen (or grid) for confining particles to be within the fluidized wall. According to Koves (col. 2, line 16) clearly disclose the motivation for installing a retention screen. Motivated by the

Art Unit: 1796

expectation of success of better control of confining particles to be within the fluidized wall, it would have been obvious to one of ordinary skill in art to install a retention screen or a grid to the outlet as taught in Bernier to obtain the grid feature of claim 33.

Regarding the claimed "flush mounted" feature, applicants must recognize that that "flush mounted" is merely a design choice within the teachings of Koves on the installing a grid onto the outlet of Koves. In re Kuhle, 526 F.2d 553, 188 USPQ 7 (CCPA 1975) (the particular placement of a contact in a conductivity measuring device was held to be an obvious matter of design choice). Motivated by the expectation of success of reducing the disturbance on the flow of the particles within the reactor wall, it would have been obvious and predictable to one of ordinary skill in art to install the grid in a "flush mounting" fashion, in view of KSR International Co. v. Teleflex Inc. (KSR), 550 U.S. ___, 82 USPQ2d 1385 (2007).

Conclusion

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the

Art Unit: 1796

shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William K Cheung whose telephone number is (571) 272-1097. The examiner can normally be reached on Monday-Friday 9:00AM to 2:00PM; 4:00PM to 8:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David WU can be reached on (571) 272-1114. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/William K Cheung/
Primary Examiner, Art Unit 1796

William K. Cheung, Ph. D.

Application/Control Number: 09/831,600

Page 12

Art Unit: 1796

Primary Examiner

May 26, 2008